



मिरा भाईंदर महानगरपालिका

स्व. इंदिरा गांधी भवन, मुख्य कार्यालय, छत्रपती शिवाजी महाराज मार्ग,
भाईंदर (प.), ता.ठाणे-४०११०१ दुरध्वनी क्र.२८१९२८२८
बांधकाम / विद्युत विभाग



जा.क्र. मनपा/साबा/ ५१२९ /2024-25

दि. २१ / १२ /2024

प्रति,

✓ सिस्टीम मॅनेजर

माहिती तंत्रज्ञान विभाग

मिरा भाईंदर महानगरपालिका

विषय :- जाहीर सुचना महानगरपालिकेच्या अधिकृत संकेतस्थळावर व स्थानिक वृत्तपत्रात प्रसिध्द करणेबाबत.

महोदय,

मिरा-भाईंदर महानगरपालिका क्षेत्रात मौजे महाजनवाडी येथे भारतरत्न व्यानसमाजी स्व. लता मंगेशकर नाट्यगृह येथील स्टेज लाईट व साऊंड सिस्टीम यंत्रणा देखभाल व दुरुस्ती करणेकामी बाबींसाठी ऑनलाईन स्पर्धात्मक दर मागविणे कामी सोबत जोडण्यात आलेली दरपत्रके महानगरपालिकेच्या अधिकृत संकेत स्थळावर व स्थानिक वृत्तपत्रात प्रसिध्द / upload करण्यात यावीत.

(निलिब कुणे)

कार्यकारी अभियंता (साबां/वि)

मिरा भाईंदर महानगरपालिका



मिरा भाईंदर महानगरपालिका

स्व. इंदिरा गांधी भवन, मुख्य कार्यालय, छत्रपती शिवाजी महाराज मार्ग,
भाईंदर (प.), ता.ठाणे-४०११०१ दुरध्वनी क्र.२८१९२८२८

बांधकाम / विद्युत विभाग

जा.क्र. मनपा/साबां/७१२१/2024-25

दि. २३/१२/2024

// जाहिर नोटीस //

मिरा-भाईंदर महानगरपालिका क्षेत्रात मौजे महाजनवाडी येथे भारतरत्न ग्यानसम्राज्ञी स्व. लता मंगेशकर नाट्यगृह येथील स्टेज लाईट व साउंड सिस्टीम यंत्रणा देखभाल व दुरुस्ती करणेकामी चालु जिल्हा दस्तुचीमध्ये दर उपलब्ध नसल्यामुळे खुल्या बाजारातून दरपत्रक मागविण्यात येत आहे.

सदर कामाकरिता दि. 31/12/2024 रोजी संध्या 4.00 वाजेपर्यंत मिरा भाईंदर महानगरपालिका, मुख्य कार्यालय, बांधकाम विभाग, 4 था मजला येथे स्वारस्य असलेल्या कंत्राटदाराने सोबत जोडलेल्या दरपत्रकातील बाबींकरिता दर भरून देण्यात यावेत.

(नितिन मुकणे)

कार्यकारी अभियंता (साबां/वि)

मिरा भाईंदर महानगरपालिका



MIRA BHAINDAR MUNICIPAL CORPORATION

Indira Gandhi Bhavan, Chhatrapati Shivaji Maharaj Marg,
Bhaindar (W) 401101, Tal. Dist - Thane, 28192828

PWD/ELECTRIC DEPARTMENT

// RATE FORM //

Name of Work :- Maintenance & Repairing Of Stage Lights and Auditorium Sound Systems At Bharatratn gyan Samradri lata Mangeshkar Natygruh AT MIRA ROAD (E) IN MBMC AREA.

Name and address of Contractor :-

Sr. No.	Item	Qty	Unit	RATE (All Taxes Included)
1)	Item No.01 Microphone - cleaning of all items with solution, with minor repairs, Servicing of XLR to XLR Female/Male lead in respective lengths for wired Microphones, Boundary Microphones, Short Gun Layer Microphones, Podium Microphones, Cordless Microphones & Lapel Microphones. (Quarterly)	1.00	Job	
2)	Item No.02 Checking all the connections of Snake cable 24 Pairs MCF-24, XLR connectors & other terminations in control Pit & control Room.(Quarterly)	1.00	Job	
3)	Item No.03 Servicing of Distribution Amplifier - cleaning with solution, servicing of all volume controllers, gain controllers, built in equilizers,microphone input & sound output with minor repairs (Quarterly)	1.00	Job	
4)	Item No.04 Servicing of Audio Mixing console 32 channel & 24 Channel- cleaning of mixer with solution, servicing of all volume controllers, gain controllers, build in equilizers, 32 channel microphone in put & sound output with minor repairs (Quarterly)	1.00	Job	
5)	Item No.05 Servicing of Digital sound processor, effect processor/ 31 band equilizer / DI Box / Power Amplifier etc (Quarterly)	1.00	Job	
6)	Item No.06 Servicing of Line array speakers LF : 2 X 8" Drivers, HF, 2 X1" Drivers (Quarterly)	1.00	Job	

7)	Item No.07 Servicing of Stage feedback Monitor Speakers 15" & 12" 2 way monitor speakers (Quarterly)	1.00	Job	
8)	Item No.08 Servicing of Green / control room / balcony fill Speakers 8" 2 way speakers & 18" Sub woofers(Quarterly)	1.00	Job	
9)	Item No.09 Servicing of Power Packs 2K& 4K. Replacing worn out sockets & connectors etc	1.00	Job	
10)	Item No.10 Checking, servicing & cleaning of 1000 Watt Spot Light/PAR Light Halogen etc.(Quarterly)	1.00	Job	
11)	Item No.11 Checking, servicing of Lighting Mixer/Pulsar Board (Quarterly)	1.00	Job	
12)	Item No.12 Checking, servicing of main & mini Theatre curtain mechanism.(Stage Drapery System)	1.00	Job	
	BREAKDOWN Maintenance. Part A.(Audio Job)			
13)	Item No.13 Replacement of faulty Wired Microphone Shure SM57/SM58	1.00	Job	
14)	Item No.14 Replacement of faulty Boundary Layer Microphone Shure, EV, Dynacorde	1.00	Job	
15)	Item No.15 Replacement of faulty Gooseneck Podium Microphone Audio Technical QL859 or its equivalent	1.00	Job	
16)	Item No.16 Replacement of faulty Short Gun Microphone Audio Technica AT8929 or its equivalent	1.00	Job	
17)	Item No.17 S & E 32 Channel Mixer - Soundcraft, Behringer, Yamaha or its equivalent	1.00	Each	
18)	Item No.18 S & E 15 inch Monitor speaker CX-15 of DYNATECH or its equivalent	1.00	Each	
19)	Item No.19 S & E 4KW power pack Make - Raytech or its equivalent	1.00	Each	
20)	Item No.20 S & E Lapel Mic Shure, Soundcraft or its equivalent	1.00	Each	
21)	Item No.21 S & E cordless Mic Shure SVX PG-58 or its equivalent	1.00	Each	
22)	Item No.22 S & E dual channel professional Audio Power Amplifier 2x1800 watt as per specs attached	1.00	Each	
23)	Item No.23 Snake cable 24 Pairs MCF-24, XLR connectors & other terminations in control Pit & control Room	1.00	Mtr	
24)	Item No.24 S & E Battery Cell 120 Nos set required for Professional Mic Shure, stand Microphone, as per specs attached – Duracell, Panasonic, Exide or its	1.00	Each	

	equivalent			
	Replacement of following faulty parts of UHF Handheld Microphone			
25)	Item No.25 Supply & Installation Receiver Mother board of UHF Handheld Microphone	1.00	Nos	
26)	Item No.26 Supply & Installation Transmitter Board of UHF Handheld Microphone	1.00	Nos	
27)	Item No.27 Microphone connector of UHF Handheld Microphone	1.00	Nos	
28)	Item No.28 Microphone capsule of UHF Handheld Microphone	1.00	Nos	
	Replacement of following faulty parts of Lapel wireless microphone			
29)	Item No.29 Transmitter Board of Lapel wireless microphone	1.00	Nos	
30)	Item No.30 Microphone connector of Lapel wireless microphone	1.00	Nos	
31)	Item No.31 Microphone capsule of Lapel wireless microphone	1.00	Nos	
32)	Item No.32 Replacement of following faulty parts of microphone cable such as XLR Connector, 1/4" connector etc	1.00	Nos	
33)	Item No.33 Replacement of XLR connectors in stage box 32 X 3 pin XLR, control pit & control room	1.00	Nos	
	Replacement of following faulty parts of Distribution Amplifier 4 port x 16 Channel			
34)	Item No.34 Power Supply of Distribution Amplifier 4 port x 16 Channel	1.00	Nos	
	Replacement of following faulty parts of 32 & 24 Channel Audio Mixing console			
35)	Item No.35 32 & 24 Channel Audio Mixing console Fader replace	1.00	Nos	
36)	Item No.36 32 & 24 Channel Audio Mixing console Rotary control repair	1.00	Nos	
37)	Item No.37 32 & 24 Channel Audio Mixing console Power Supply	1.00	Nos	
38)	Item No.38 32 & 24 Channel Audio Mixing console Input Connector	1.00	Nos	
39)	Item No.39 32 & 24 Channel Audio Mixing console Output Connector	1.00	Nos	
40)	Item No.40 32 & 24 Channel Audio Mixing console Input Channel strip repair	1.00	Nos	
41)	Item No.41 32 & 24 Channel Audio Mixing console Output Channel strip repair	1.00	Nos	
	Replacement of following parts of Power Amplifier			

42)	Item No.42 Power Amplifier Power Supply (SMPS)	1.00	Nos	
43)	Item No.43 Power Amplifier Connector	1.00	Nos	
44)	Item No.44 Power Amplifier Main Board	1.00	Nos	
	Replacement of faulty parts of Line array Speaker LF: 2 X 8" Drivers, HF; 2 X 1 " Drivers			
45)	Item No.45 Line array Speaker LF Recoining Kit 8"	1.00	Nos	
46)	Item No.46 Line array Speaker LF Diaphragm of 1" compression driver	1.00	Nos	
47)	Item No.47 Line array Speaker LF Crossover	1.00	Nos	
	Replacement of faulty parts of Stage feedback monitor speakers 15" 2 way monitor speaker			
48)	Item No.48 Recoining Kit 15"	1.00	Nos	
49)	Item No.49 Diaphragm of 1" compression driver	1.00	Nos	
	Replacement of faulty parts of Stage feedback monitor speakers 12" 2 way monitor speaker			
50)	Item No.50 Recoining Kit 12"	1.00	Nos	
51)	Item No.51 Diaphragm of 1" compression driver	1.00	Nos	
52)	Item No.52 Crossover	1.00	Nos	
	Replacement of faulty parts of Green / control room / balcony fill Speakers 8" 2 way speakers HF:1			
53)	Item No.53 Recoining Kit 8"	1.00	Nos	
54)	Item No.54 Diaphragm of 1" compression driver	1.00	Nos	
55)	Item No.55 Crossover	1.00	Nos	
	Replacement of faulty parts of Subwoofers dual 18"			
56)	Item No.56 Recoining Kit 18"	1.00	Nos	
	Part B. Stage Lighting System	1.00		
	Replacement of faulty parts of 1000 Watt Spot Light	1.00		
57)	Item No.57 Spot Light Plano Convex Lense	1.00	Nos	
58)	Item No.58 1000 Watt Spot Lamp Holder	1.00	Nos	
59)	Item No.59 Replacement of faulty Lamp of 1000 Watt Halogen Light	1.00	Nos	
60)	Item No.60 Replacement of faulty Fader of Lighting Mixer	1.00	Nos	
61)	Item No.61	1.00	Nos	

	Repair of individual channel			
62)	Item No.62 Replacement of socket as per single channel	1.00	Nos	
	Replacement of faulty parts of PARCON 64 Lights			
63)	Item No.63 PARCON 64 Lights Holder	1.00	Nos	
64)	Item No.64 Supply of 1000 Watt Spot Light Fitting	1.00	Nos	
65)	Item No.65 Supply of 1000 Watt PARCON 64 Light Fitting	1.00	Nos	
66)	Item No.66 Supply of 1000 Watt Small PARCON 64 Light Fitting	1.00	Nos	
	Part C.Stage Drapery System	1.00	Nos	
	Replacement of following faulty parts of main curtain mechanisum			
67)	Item No.67 main curtain mechanism Switch	1.00	Nos	
68)	Item No.68 main curtain mechanism Contactor	1.00	Nos	
69)	Item No.69 main curtain mechanism Curtain hook	1.00	Nos	
70)	Item No.70 main curtain mechanism Motor 2 HP	1.00	Nos	
71)	Item No.71 main curtain mechanism Limit Switch	1.00	Nos	
72)	Item No.72 main curtain mechanism Coupling	1.00	Nos	
73)	Item No.73 main curtain mechanism stainless Still wire rope 5 mm	1.00	Mtr	
	Replacement of following faulty parts of mid curtain mechanism			
74)	Item No.74 mid curtain mechanism Switch	1.00	Nos	
75)	Item No.75 mid curtain mechanism Contactor	1.00	Nos	
76)	Item No.76 mid curtain mechanism Motor Motor 2 HP	1.00	Nos	
77)	Item No.77 mid curtain mechanism Limit Switch	1.00	Nos	
78)	Item No.78 mid curtain mechanism Coupling	1.00	Nos	
79)	Item No.79 mid curtain mechanism Still wire rope 5 mm	1.00	Mtr	

कंपनीचा सही व शिक्का



मिरा भाईंदर महानगरपालिका

स्व. इंदिरा गांधी भवन, मुख्य कार्यालय, छत्रपती शिवाजी महाराज मार्ग,
भाईंदर (प.), ता.ठाणे-४०११०१ दुरध्वनी क्र.२८१९२८२८

बांधकाम / विद्युत विभाग

जा.क्र. मनपा/साबां/५१२१ /2024-25

दि. २३/१२ /2024

// जाहिर नोटीस //

मिरा-भाईंदर महानगरपालिका क्षेत्रात मौजे महाजनवाडी येथे भारतरत्न ग्यानसमाजी स्व. लता मंगेशकर नाट्यगृह येथील स्टेज लाईट व साउंड सिस्टीम यंत्रणा देखभाल व दुरुस्ती करणेकामी चालु जिल्हा दरसुचीमध्ये दर उपलब्ध नसल्यामुळे खुल्या बाजारातून दरपत्रक मागविण्यात येत आहे.

सदर कामाकरिता दि. ३१ / १२ /2024 रोजी संध्या ४.०० वाजेपर्यंत मिरा भाईंदर महानगरपालिका, मुख्य कार्यालय, बांधकाम विभाग, ४ था मजला येथे स्वारस्य असलेल्या कंत्राटदाराने सोबत जोडलेल्या दरपत्रकातील बाबींकरीता दर भरून देण्यात यावेत.

(नितिन मुकणे)

कार्यकारी अभियंता (साबां/वि)

मिरा भाईंदर महानगरपालिका

Note # 1

सादर,

विषय :- मिरा-भाईंदर महानगरपालिका क्षेत्रात मौजे महाजनवाडी येथे भारतरत्न ग्यानसम्राज्ञी स्व. लता मंगेशकर नाटयगृह येथील स्टेज लाईट व साऊंड सिस्टीम यंत्रणा देखभाल व दुरुस्ती करणेकामी खुल्या बाजारातुन दरपत्रक मागविणेबाबत.

उपरोक्त विषयानुसार मिरा-भाईंदर महानगरपालिका क्षेत्रात मौजे महाजनवाडी येथे भारतरत्न ग्यानसम्राज्ञी स्व. लता मंगेशकर नाटयगृह येथे विविध नाटक, संगीत कार्यक्रम व मनोरंजन विषयक कार्यक्रम आयोजित करण्यात येत असतात. त्याकरिता सदर नाटयगृहात विविध विशेष स्टेज लाईट व साऊंड सिस्टीम यंत्रणा बसविण्यात आलेली आहे. सदर स्टेज लाईट व साऊंड सिस्टीम यंत्रणा देखभाल दुरुस्ती कामाचे दर चालु जिल्हा दरसुची (2022-23) मध्ये दर उपलब्ध नसल्याने सदर कामी खुल्या बाजारातुन दरपत्रक मागवुन अंदाजपत्रक तयार करणे आवश्यक आहे. त्याचा तपशिल खालीलप्रमाणे.

अ.क्र.	तपशील	संख्या	परिमाण
1. 1)	Item No.01 Microphone - cleaning of all items with solution, with minor repairs, Servicing of XLR to XLR Female/Male lead in respective lengths for wired Microphones, Boundary Microphones, Short Gun Layer Microphones, Podium Microphones, Cordless Microphones & Lapel Microphones. (Quarterly)	1.00	Job
2. 2)	Item No.02 Checking all the connections of Snake cable 24 Pairs MCF-24, XLR connectors & other terminations in control Pit & control Room.(Quarterly)	1.00	Job
3. 3)	Item No.03 Servicing of Distribution Amplifier - cleaning with solution, servicing of all volume controllers, gain controllers, built in equilizers,microphone input & sound output with minor repairs (Quarterly)	1.00	Job
4. 4)	Item No.04 Servicing of Audio Mixing console 32 channel & 24 Channel- cleaning of mixer with solution, servicing of all volume controllers, gain controllers, build in equilizers, 32 channel microphone in put & sound output with minor repairs (Quarterly)	1.00	Job
5.	Item No.05	1.00	Job

	Servicing of Digital sound processor, effect processor/ 31 band equalizer / DI Box / Power Amplifier etc (Quarterly)		
6.	Item No.06 Servicing of Line array speakers LF : 2 X 8" Drivers, HF, 2 X 1" Drivers (Quarterly)	1.00	Job
7.	Item No.07 Servicing of Stage feedback Monitor Speakers 15" & 12" 2 way monitor speakers (Quarterly)	1.00	Job
8.	Item No.08 Servicing of Green / control room / balcony fill Speakers 8" 2 way speakers & 18" Sub woofers(Quarterly)	1.00	Job
9.	Item No.09 Servicing of Power Packs 2K& 4K. Replacing worn out sockets & connectors etc	1.00	Job
10.	Item No.10 Checking, servicing & cleaning of 1000 Watt Spot Light/PAR Light Halogen etc.(Quarterly)	1.00	Job
11.	Item No.11 Checking, servicing of Lighting Mixer/Pulsar Board (Quarterly)	1.00	Job
12.	Item No.12 Checking, servicing of main & mini Theatre curtain mechanism.(Stage Drapery System)	1.00	Job
	BREAKDOWN Maintenance. Part A. (Audio Job)		
13.	Item No.13 Replacement of faulty Wired Microphone Shure SM57/SM58	1.00	Job
14.	Item No.14 Replacement of faulty Boundary Layer Microphone Shure, EV, Dynacorde	1.00	Job
15.	Item No.15 Replacement of faulty Gooseneck Podium Microphone Audio Technical QL859 or its equivalent	1.00	Job
16.	Item No.16 Replacement of faulty Short Gun Microphone Audio Technica AT8929 or its equivalent	1.00	Job
17.	Item No.17 S & E 32 Channel Mixer - Soundcraft, Behringer, Yamaha or its equivalent	1.00	Each

18.	Item No.18 S & E 15 inch Monitor speaker CX-15 of DYNATECH or its equivalent	1.00	Each
19.	Item No.19 S & E 4KW power pack Make - Raytech or its equivalent	1.00	Each
20.	Item No.20 S & E Lapel Mic Shure, Soundcraft or its equivalent	1.00	Each
21.	Item No.21 S & E cordless Mic Shure SVX PG-58 or its equivalent	1.00	Each
22.	Item No.22 S & E dual channel professional Audio Power Amplifier 2x1800 watt as per specs attached	1.00	Each
23.	Item No.23 Snake cable 24 Pairs MCF-24, XLR connectors & other terminations in control Pit & control Room	1.00	Mtr
24.	Item No.24 S & E Battery Cell 120 Nos set required for Professional Mic Shure, stand Microphone, as per specs attached - Duracell, Panasonic, Exide or its equivalent	1.00	Each
	Replacement of following faulty parts of UHF Handheld Microphone		
25.	Item No.25 Supply & Installation Receiver Mother board of UHF Handheld Microphone	1.00	Nos
26.	Item No.26 Supply & Installation Transmitter Board of UHF Handheld Microphone	1.00	Nos
27.	Item No.27 Microphone connector of UHF Handheld Microphone	1.00	Nos
28.	Item No.28 Microphone capsule of UHF Handheld Microphone	1.00	Nos
	Replacement of following faulty parts of Lapel wireless microphone		
29.	Item No.29 Transmitter Board of Lapel wireless microphone	1.00	Nos
30.	Item No.30 Microphone connector of Lapel wireless microphone	1.00	Nos

31.	Item No.31 Microphone capsule of Lapel wireless microphone	1.00	Nos
32.	Item No.32 Replacement of following faulty parts of microphone cable such as XLR Connector, 1/4" connector etc	1.00	Nos
33.	Item No.33 Replacement of XLR connectors in stage box 32 X 3 pin XLR, control pit & control room	1.00	Nos
	Replacement of following faulty parts of Distribution Amplifier 4 port x 16 Channel		
34.	Item No.34 Power Supply of Distribution Amplifier 4 port x 16 Channel	1.00	Nos
	Replacement of following faulty parts of 32 & 24 Channel Audio Mixing console		
35.	Item No.35 32 & 24 Channel Audio Mixing console Fader replace	1.00	Nos
36.	Item No.36 32 & 24 Channel Audio Mixing console Rotary control repair	1.00	Nos
37.	Item No.37 32 & 24 Channel Audio Mixing console Power Supply	1.00	Nos
38.	Item No.38 32 & 24 Channel Audio Mixing console Input Connector	1.00	Nos
39.	Item No.39 32 & 24 Channel Audio Mixing console Output Connector	1.00	Nos
40.	Item No.40 32 & 24 Channel Audio Mixing console Input Channel strip repair	1.00	Nos
41.	Item No.41 32 & 24 Channel Audio Mixing console Output Channel strip repair	1.00	Nos
	Replacement of following parts of Power Amplifier		
42.	Item No.42 Power Amplifier Power Supply (SMPS)	1.00	Nos
43.	Item No.43 Power Amplifier Connector	1.00	Nos
44.	Item No.44 Power Amplifier Main Board	1.00	Nos
	Replacement of faulty parts of Line array Speaker LF: 2 X 8"		

	Drivers. HF: 2 X 1 " Drivers		
45.	Item No.45 Line array Speaker LF Recoining Kit 8"	1.00	Nos
46.	Item No.46 Line array Speaker LF Diaphragm of 1" compression driver	1.00	Nos
47.	Item No.47 Line array Speaker LF Crossover	1.00	Nos
	Replacement of faulty parts of Stage feedback monitor speakers 15" 2 way monitor speaker		
48.	Item No.48 Recoining Kit 15"	1.00	Nos
49.	Item No.49 Diaphragm of 1" compression driver	1.00	Nos
	Replacement of faulty parts of Stage feedback monitor speakers 12" 2 way monitor speaker		
50.	Item No.50 Recoining Kit 12"	1.00	Nos
51.	Item No.51 Diaphragm of 1" compression driver	1.00	Nos
52.	Item No.52 Crossover	1.00	Nos
	Replacement of faulty parts of Green / control room / balcony fill Speakers 8" 2 way speakers HF:1		
53.	Item No.53 Recoining Kit 8"	1.00	Nos
54.	Item No.54 Diaphragm of 1" compression driver	1.00	Nos
55.	Item No.55 Speakers Crossover	1.00	Nos
	Replacement of faulty parts of Subwoofers dual 18"		
56.	Item No.56 Recoining Kit 18"	1.00	Nos
	Part B. Stage Lighting System	1.00	
	Replacement of faulty parts of 1000 Watt Spot Light	1.00	
57.	Item No.57 Spot Light Plano Convex Lense	1.00	Nos
58.	Item No.58 1000 Watt Spot Lamp Holder	1.00	Nos
59.	Item No.59 Replacement of faulty Lamp of 1000 Watt Halogen Light	1.00	Nos
60.	Item No.60 Replacement of faulty Fader of Lighting Mixer	1.00	Nos

61.	Item No.61 Repair of individual channel	1.00	Nos
62.	Item No.62 Replacement of socket as per single channel	1.00	Nos
	Replacement of faulty parts of PARCON 64 Lights		
63.	Item No.63 PARCON 64 Lights Holder	1.00	Nos
64.	Item No.64 Supply of 1000 Watt Spot Light Fitting	1.00	Nos
65.	Item No.65 Supply of 1000 Watt PARCON 64 Light Fitting	1.00	Nos
66.	Item No.66 Supply of 1000 Watt Small PARCON 64 Light Fitting	1.00	Nos
	Part C.Stage Drapery System	1.00	Nos
	Replacement of following faulty parts of main curtain mechanism		
67.	Item No.67 main curtain mechanism Switch	1.00	Nos
68.	Item No.68 main curtain mechanism Contactor	1.00	Nos
69.	Item No.69 main curtain mechanism Curtain hook	1.00	Nos
70.	Item No.70 main curtain mechanism Motor 2 HP	1.00	Nos
71.	Item No.71 main curtain mechanism Limit Switch	1.00	Nos
72.	Item No.72 main curtain mechanism Coupling	1.00	Nos
73.	Item No.73 main curtain mechanism stainless Still wire rope 5 mm	1.00	Mtr
	Replacement of following faulty parts of mid curtain mechanism		
74.	Item No.74 mid curtain mechanism Switch	1.00	Nos
75.	Item No.75 mid curtain mechanism Contactor	1.00	Nos
76.	Item No.76 mid curtain mechanism Motor Motor 2 HP	1.00	Nos
77.	Item No.77 mid curtain mechanism Limit Switch	1.00	Nos
78.	Item No.78 mid curtain mechanism Coupling	1.00	Nos
79.	Item No.79	1.00	Mtr

	mid curtain mechanism Still wire rope		
	5 mm		

तरी वरीलप्रमाणे online पध्दतीने व दै. वृत्तापत्रामध्ये दरपत्रक प्रसिध्द करुन दर मागविण्यास शिफारस आहे.

Sign

20/12/2024 12:31 PM

Akshay Vilas Bagul
JUNIOR ENGINEER

Note # 2

online पध्दतीने व दै. वृत्तापत्रामध्ये दरपत्रक प्रसिध्द करुन दर मागविण्यास शिफारस आहे.

20/12/2024 04:30 PM

Chetan Baburao Mhatre
DEPUTY ENGINEER, ELECTRIC

 Digitally Signed

Note # 3

प्रस्तावानुसार online पध्दतीने व दै. वृत्तापत्रामध्ये दरपत्रक प्रसिध्द करुन दर मागविण्यास शिफारस आहे.

21/12/2024 12:48 PM

Nitin Raghunath Mukane
EXECUTIVE ENGINEER

 Digitally Signed

Note # 4

प्रस्तावित मान्य

21/12/2024 04:47 PM

Deepak Bhaskar Khambit
CITY ENGINEER

Note # 5

23/12/2024 10:09 AM

Chetan Baburao Mhatre
SECTIONAL ENGINEER